British Journal of Plastic Surgery (1999), **52**, 684–690
© 1998 The British Association of Plastic Surgeons

Author Index

A

Aalst, V. van, jt.author. *See* Barker, J.H.
Abudaia, J.M., jt.author. *See* Hashem, F.K.
Adant, J.P., jt.author. *See* Medot, M.
Agarwal, R. Primary repair of incomplete unilateral cleft lip (correspondence), 598
Ahmad, M., Mirza, S. and Foo, I.T.H. Pulsed dye laser treatment of telangiectasia after radiotherapy for breast carcinoma (case report), 236
Ahmad, M., jt.author. *See* Curnier, A.P.R.
Ahmad, T.S., jt.author. *See* Morrison, W.A.
Ahmed, O., jt.author. *See* Bahia, H.
Ahmed, O.A., Hussain, A., King, D.J. and Holmes, J.D. Congenital rhabdomyosarcoma (case report), 304
Ahmed, O.A. and Kolhe, P.S. Prevention of Frey's syndrome and volume deficit after parotidectomy using the superficial temporal artery fascial flap, 256
Ahmed, S., jt.author. *See* Hashem, F.K.
Al-Malaq, A., jt.author. *See* Hashem, F.K.
Al-Qattan, M.M. The embryological basis of the palmar nail deformity (correspondence), 324
Allcutt, D., jt.author. *See* O'Broin, E.S.
Allen, J., jt.author. *See* Slade, D.
Allison, K., jt.author. *See* Godwin, Y.
Anderson, G.L., jt.author. *See* Barker, J.H.
Ao, M., Uno, K., Maeta, M., Nakagawa, F., Saito, R. and Nagase, Y. De-epithelialised anterior (anterolateral and anteromedial) thigh flaps for dead space filling and contour correction in head and neck reconstruction, 261
Arnež, Z.M., Khan, U., Pogorelec, D. and Planinšek, F. Breast reconstruction using the free superficial inferior epigastric artery (SIEA) flap, 276
Arnež, Z.M., Khan, U., Pogorelec, D. and Planinšek, F. Rational selection of flaps from the abdomen in breast reconstruction to reduce donor site morbidity, 351
Arnež, Z.M., Tyler, M.P.H. and Khan, U. Describibg severe limb trauma, 280
Arrowsmith, J., Eltigani, E., Krarup, K. and Varma, S. An audit of breast reduction without drains, 586
Asato, H., jt.author. *See* Yoshimura, K.
Ashall, G., jt.author. *See* Fogarty, B.J.
Aslam, S., jt.author. *See* Stephenson, A.J.
Asplund, O., jt.author. *See* Metaxotos, N.G.

B

Babu, N.D., jt.author. *See* Jagannathan, M.
Bahia, H., Ahmed, O. and Hart, N.B. A new tie-over dressing for hypospadias repair (correspondence), 673
Bahia, H., Moazzam, A. and Ramakrishnan, V. Penoscrotal necrosis complicating intravenous drug abuse (correspondence), 324
Baladas, H.G., jt.author. *See* Chan, K.O.
Baliarsing, A.S., jt.author. *See* Jagannathan, M.
Banic, A., jt.author. *See* Erni, D.
Bardsley, A., jt.author. *See* Sylaidis, P.
Bardsley, A.F., jt.author. *See* Moncrieff, M.D.S.
Barker, J.H., Frank, J., Bidiwala, S.B., Stengel, C.K., Carroll, S.M., Carroll, C.M., Aalst V. van and Anderson, G.L. An animal model to study microcirculatory changes associated with vascular delay, 133
Barnett, R., jt.author. *See* Tavakoli, K.
Bartlett, G.R. Does aspirin affect the outcome of minor cutaneous surgery?, 214
Batchelor, A.G.G., jt.author. *See* Majumder, S.
Baumeister, R.G.H., jt.author. *See* Frick, A.
Beausang, E., Orr, D., Shah, M., Dunn, K.W. and Davenport, P.J. Subcutaneous adrenaline infiltration in paediatric burn surgery, 480
Beg, M.S.A., jt.author. *See* Nancarrow, J.D.
Benediktsson, K. and Perbeck, L. The influence of radiotherapy on skin circulation of the breast after subcutaneous mastectomy and immediate reconstruction, 360
Bidiwala, S.B., jt.author. *See* Barker, J.H.
Birch, J.F., Varma, S.K. and Narula, A.A. Botulinum toxoid in the management of gustatory sweating (Frey's syndrome) after superficial parotidectomy (case report), 230
Blasi, F., jt.author. *See* Molea, G.
Blondeel, P.N. One hundred free DIEP flap breast reconstructions: a personal experience, 104
Blondeel, P.N. The sensate free superior gluteal artery perforator (S-GAP) flap: a valuable alternative in autologous breast reconstruction, 185
Blondeel, P.N., Demuynck, M., Mete, D., Monstrey, S.J., Landuyt, K. Van, Matton, G. and Vanderstraeten, G.G. Sensory nerve repair in perforator flaps for autologous breast reconstruction: sensational or senseless?, 37
Blondeel, P.N., jt.author. *See* Verpaele, A.M.
Bohajar, E.T., jt.author. *See* Saavedra, P.P.T.
Bonar, F., jt.author. *See* Tavakoli, K.
Bordea, C., Wojnarowska, F. and Morris, P.J. Multiple cutaneous malignancies arising in limbs with signs of lymphatic insufficiency in transplant patients, 618
Borgstein, E., jt.author. *See* Stevenson, J.H.
Boyce, D.E. and Srivastava, S. Placement of sutures in tendon repair (correspondence), 511
Bradbury, E., jt.author. *See* Souza Faria, F.
Bradley, J.P., jt.author. *See* Laitung, J.K.G.
Brain, A.N., jt.author. *See* Souza Faria, F.
Britto, J. Stitch tricks (correspondence), 599
Brodda Jansen, G., Törkvist, L., Löfgren, O., Raud, J. and Lundeberg, T. Effects of calcitonin gene-related peptide on tissue survival, blood flow and neutrophil recruitment in experimental skin flaps, 299
Brotherston, T.M., jt.author. *See* Brown, T.P.La H.
Brown, T.P.La H., Ringrose, C., Hyland, R.E., Cole, A.A. and Brotherston, T.M. A method of assessing female breast morphometry and its clinical application, 355
Bueno Garcia, E., jt.author. *See* Sabino Neto, M.
Butler, C.E., Yannas, I.V., Compton, C.C., Correia, C.A. amd Orgill, D.P. Comparison of cultured and uncultured keratinocytes seeded into a collagen—GAG matrix for skin replacements, 127

C

Calderson, M.S. and Chung, K.C. Initial manifestation of gout after carpal tunnel release (correspondence), 76
Camp, D.F., Dickson, M.G. and Dormon, F. Perioperative improvement in lung function during reduction mammoplasty (correspondence), 238
Campbell, L., jt.author. *See* Collis, N.
Carr, T., jt.author. *See* Harris, D.
Carroll, C.M., jt.author. *See* Barker, J.H.
Carroll, S.M., jt.author. *See* Barker, J.H.
Cerio, R., jt.author. *See* Liew, S.H
Chan, K.O., Lim, I.J., Baladas, H.G. and Tan, W.T.L. Multiple tumour presentation of trichilemmal carcinoma (case report), 664
Chana, J., jt.author. *See* Grover, R.
Chang, C.-J., Fisher, D.M. and Chen, Y.-R Intralesional photocoagulation of vascular anomalies of the tongue, 178
Chang, L.-Y., jt.author. *See* Hsiao, C.-W.
Chang, T.-W., jt.author. *See* Lee, J.-W.
Chen, C.-L., jt.author. *See* Lee, J.-W.
Chen, H.-C., jt.author. *See* Demirkan, F.
Chen, I.-H., jt.author. *See* Demirkan, F.
Chen, Y.-B.T., Hahn, L.-J. and Yao, Y.-Y. Long-term survival of mandibular osteosarcoma (correspondence), 243
Chen, Y.-R., jt.author. *See* Chang, C.-J.
Cheng, H.W., jt.author. *See* Zhang, H.M.
Chiu, H.-W., jt.author. *See* Lee, J.-W.
Chung, K.C., jt.author. *See* Calderson, M.S.
Chung-Lin Chen *See* Chen, C.-L.
Ciria-Llorèns, G., Gómez-Cia, T. and Talegón-Meléndez, A.

British Journal of Plastic Surgery (1999), **52**, 684–690
© 1998 The British Association of Plastic Surgeons

Author Index

A

Aalst, V. van, jt.author. *See* Barker, J.H.
Abudaia, J.M., jt.author. *See* Hashem, F.K.
Adant, J.P., jt.author. *See* Medot, M.
Agarwal, R. Primary repair of incomplete unilateral cleft lip (correspondence), 598
Ahmad, M., Mirza, S. and Foo, I.T.H. Pulsed dye laser treatment of telangiectasia after radiotherapy for breast carcinoma (case report), 236
Ahmad, M., jt.author. *See* Curnier, A.P.R.
Ahmad, T.S., jt.author. *See* Morrison, W.A.
Ahmed, O., jt.author. *See* Bahia, H.
Ahmed, O.A., Hussain, A., King, D.J. and Holmes, J.D. Congenital rhabdomyosarcoma (case report), 304
Ahmed, O.A. and Kolhe, P.S. Prevention of Frey's syndrome and volume deficit after parotidectomy using the superficial temporal artery fascial flap, 256
Ahmed, S., jt.author. *See* Hashem, F.K.
Al-Malaq, A., jt.author. *See* Hashem, F.K.
Al-Qattan, M.M. The embryological basis of the palmar nail deformity (correspondence), 324
Allcutt, D., jt.author. *See* O'Broin, E.S.
Allen, J., jt.author. *See* Slade, D.
Allison, K., jt.author. *See* Godwin, Y.
Anderson, G.L., jt.author. *See* Barker, J.H.
Ao, M., Uno, K., Maeta, M., Nakagawa, F., Saito, R. and Nagase, Y. De-epithelialised anterior (anterolateral and anteromedial) thigh flaps for dead space filling and contour correction in head and neck reconstruction, 261
Arnež, Z.M., Khan, U., Pogorelec, D. and Planinšek, F. Breast reconstruction using the free superficial inferior epigastric artery (SIEA) flap, 276
Arnež, Z.M., Khan, U., Pogorelec, D. and Planinšek, F. Rational selection of flaps from the abdomen in breast reconstruction to reduce donor site morbidity, 351
Arnež, Z.M., Tyler, M.P.H. and Khan, U. Describibg severe limb trauma, 280
Arrowsmith, J., Eltigani, E., Krarup, K. and Varma, S. An audit of breast reduction without drains, 586
Asato, H., jt.author. *See* Yoshimura, K.
Ashall, G., jt.author. *See* Fogarty, B.J.
Aslam, S., jt.author. *See* Stephenson, A.J.
Asplund, O., jt.author. *See* Metaxotos, N.G.

B

Babu, N.D., jt.author. *See* Jagannathan, M.
Bahia, H., Ahmed, O. and Hart, N.B. A new tie-over dressing for hypospadias repair (correspondence), 673
Bahia, H., Moazzam, A. and Ramakrishnan, V. Penoscrotal necrosis complicating intravenous drug abuse (correspondence), 324
Baladas, H.G., jt.author. *See* Chan, K.O.
Baliarsing, A.S., jt.author. *See* Jagannathan, M.
Banic, A., jt.author. *See* Erni, D.
Bardsley, A., jt.author. *See* Sylaidis, P.
Bardsley, A.F., jt.author. *See* Moncrieff, M.D.S.
Barker, J.H., Frank, J., Bidiwala, S.B., Stengel, C.K., Carroll, S.M., Carroll, C.M., Aalst V. van and Anderson, G.L. An animal model to study microcirculatory changes associated with vascular delay, 133
Barnett, R., jt.author. *See* Tavakoli, K.
Bartlett, G.R. Does aspirin affect the outcome of minor cutaneous surgery?, 214
Batchelor, A.G.G., jt.author. *See* Majumder, S.
Baumeister, R.G.H., jt.author. *See* Frick, A.
Beausang, E., Orr, D., Shah, M., Dunn, K.W. and Davenport, P.J. Subcutaneous adrenaline infiltration in paediatric burn surgery, 480
Beg, M.S.A., jt.author. *See* Nancarrow, J.D.
Benediktsson, K. and Perbeck, L. The influence of radiotherapy on skin circulation of the breast after subcutaneous mastectomy and immediate reconstruction, 360
Bidiwala, S.B., jt.author. *See* Barker, J.H.
Birch, J.F., Varma, S.K. and Narula, A.A. Botulinum toxoid in the management of gustatory sweating (Frey's syndrome) after superficial parotidectomy (case report), 230
Blasi, F., jt.author. *See* Molea, G.
Blondeel, P.N. One hundred free DIEP flap breast reconstructions: a personal experience, 104
Blondeel, P.N. The sensate free superior gluteal artery perforator (S-GAP) flap: a valuable alternative in autologous breast reconstruction, 185
Blondeel, P.N., Demuynck, M., Mete, D., Monstrey, S.J., Landuyt, K. Van, Matton, G. and Vanderstraeten, G.G. Sensory nerve repair in perforator flaps for autologous breast reconstruction: sensational or senseless?, 37
Blondeel, P.N., jt.author. *See* Verpaele, A.M.
Bohajar, E.T., jt.author. *See* Saavedra, P.P.T.
Bonar, F., jt.author. *See* Tavakoli, K.
Bordea, C., Wojnarowska, F. and Morris, P.J. Multiple cutaneous malignancies arising in limbs with signs of lymphatic insufficiency in transplant patients, 618
Borgstein, E., jt.author. *See* Stevenson, J.H.
Boyce, D.E. and Srivastava, S. Placement of sutures in tendon repair (correspondence), 511
Bradbury, E., jt.author. *See* Souza Faria, F.
Bradley, J.P., jt.author. *See* Laitung, J.K.G.
Brain, A.N., jt.author. *See* Souza Faria, F.
Britto, J. Stitch tricks (correspondence), 599
Brodda Jansen, G., Törkvist, L., Löfgren, O., Raud, J. and Lundeberg, T. Effects of calcitonin gene-related peptide on tissue survival, blood flow and neutrophil recruitment in experimental skin flaps, 299
Brotherston, T.M., jt.author. *See* Brown, T.P.La H.
Brown, T.P.La H., Ringrose, C., Hyland, R.E., Cole, A.A. and Brotherston, T.M. A method of assessing female breast morphometry and its clinical application, 355
Bueno Garcia, E., jt.author. *See* Sabino Neto, M.
Butler, C.E., Yannas, I.V., Compton, C.C., Correia, C.A. amd Orgill, D.P. Comparison of cultured and uncultured keratinocytes seeded into a collagen—GAG matrix for skin replacements, 127

C

Calderson, M.S. and Chung, K.C. Initial manifestation of gout after carpal tunnel release (correspondence), 76
Camp, D.F., Dickson, M.G. and Dormon, F. Perioperative improvement in lung function during reduction mammoplasty (correspondence), 238
Campbell, L., jt.author. *See* Collis, N.
Carr, T., jt.author. *See* Harris, D.
Carroll, C.M., jt.author. *See* Barker, J.H.
Carroll, S.M., jt.author. *See* Barker, J.H.
Cerio, R., jt.author. *See* Liew, S.H
Chan, K.O., Lim, I.J., Baladas, H.G. and Tan, W.T.L. Multiple tumour presentation of trichilemmal carcinoma (case report), 664
Chana, J., jt.author. *See* Grover, R.
Chang, C.-J., Fisher, D.M. and Chen, Y.-R Intralesional photocoagulation of vascular anomalies of the tongue, 178
Chang, L.-Y., jt.author. *See* Hsiao, C.-W.
Chang, T.-W., jt.author. *See* Lee, J.-W.
Chen, C.-L., jt.author. *See* Lee, J.-W.
Chen, H.-C., jt.author. *See* Demirkan, F.
Chen, I.-H., jt.author. *See* Demirkan, F.
Chen, Y.-B.T., Hahn, L.-J. and Yao, Y.-Y. Long-term survival of mandibular osteosarcoma (correspondence), 243
Chen, Y.-R., jt.author. *See* Chang, C.-J.
Cheng, H.W., jt.author. *See* Zhang, H.M.
Chiu, H.-W., jt.author. *See* Lee, J.-W.
Chung, K.C., jt.author. *See* Calderson, M.S.
Chung-Lin Chen *See* Chen, C.-L.
Ciria-Llorèns, G., Gómez-Cia, T. and Talegón-Meléndez, A.

Analysis of flow changes in forearm arteries after raising the radial forearm flap: a prospective study using colour duplex imaging, 440
Citron, N., jt.author. *See* Foucher, G.
Clement, R.M., jt.author. *See* Gault, D.T.
Clibbon, J., jt.author. *See* Sylaidis, P.
Cobley, T.D.D. and Mercer, N.S.G. The use of blood as a marker on the lips: an aid to reconstruction (correspondence), 240
Cohen, D., jt.author. *See* Witt, P.
Cole, A.A., jt.author. *See* Brown, T.P.La H.
Cole, R.P., jt.author. *See* Horlock, N.
Collis, N., Mirza, S., Stanley, P.R.W., Campbell, L. and Sharpe, D.T. Reduction of potential contamination of breast implants by the use of 'nipple shields', 445
Compton, C.C., jt.author. *See* Butler, C.E.
Cope, C., jt.author. *See* Tavakoli, K.
Correia, C.A., jt.author. *See* Butler, C.E.
Crick, A., jt.author. *See* Pay, A.D.
Cruz, A., jt.author. *See* Piñal, F. del
Curnier, A.P.R., Ahmad, M. and Foo, I.T.H. Inverted nipple in the male (correspondence), 158

D

Darcy, C.M., jt.author. *See* Kat, C.C.
Das-Gupta, R., jt.author. *See* Harris, P.A.
Davalbhakta, A. and Sommerlad, B.C. Cavia-Care dressing for hypospadias repair, 325
Davalbhakta, A.V. and Niranjan, N.S. Fasciocutaneous flaps based on fascial feeding vessels for defects in the periolecranon area, 60
Davenport, P.J., jt.author. *See* Beausang, E.
David, D.J., jt.author. *See* O'Sullivan, S.T.
Davies, D.M. and Kirkpatrick, W.N.A. Lipid emulsification after implant rupture (correspondence), 238
Davis, P.K.B. Discolouration following collagen injections (correspondence), 81
Decordier, B., jt.author. *See* Verpaele, A.M.
Delaere, O., jt.author. *See* Foucher, G.
Demirkan, F., Wei, F.-C., Chen, H.-C., Chen, I.-H. and Liao, C.-T. Oromandibular reconstruction using a third free flap in sequence in recurrent carcinoma, 429
Demuynck, M., jt.author. *See* Blondeel, P.N.
Dickson, M.G., jt.author. *See* Camp, D.F.
Dickson, W.A., jt.author. *See* Warr, R.P.
Don Griot, J.P.W. and Hage, J.J. Sensory and sudomotor recovery due to collateral sprouting? (correspondence), 322
Dormon, F., jt.author. *See* Camp, D.F.
Duchateau, J., jt.author. *See* Geertruyden, J.P. Van
Duncan, C.O. and Matthews, R.N. A collective term for plastic surgeons (correspondence), 81
Dunn, K.W., jt.author. *See* Beausang, E.
Dunn, R., jt.author. *See* Ross, G.

E

Earley, M.J., jt.author. *See* O'Broin, E.S.
Eltigani, E., jt.author. *See* Arrowsmith, J.
Emerson, D.J.M., jt.author. *See* Slade, P.
Erel, E., Platt, A.J. and Ramakrishnan, V. Chloramphenicol use in plastic surgery (correspondence), 326
Erni, D., Lieger, O. and Banic, A. Comparative objective and subjective analysis of temporalis tendon and microneurovascular transfer for facial reanimation, 167
Erni, D., Sakai, H., Tsai, A.G., Banic, A., Sigurdsson, G.H. and Intaglietta, M. Haemodynamics and oxygen tension in the microcirculation of ischaemic skin flaps after neural blockade and haemodilution, 565
Evans, J., jt.author. *See* Koshy, C.E.

F

Falconer, I., jt.author. *See* Stevenson, J.H.
Fang, R.H., Kao, Y.S., Ma, S. and Lin, J.T. Phalloplasty in female-to-male transsexuals using free radial osteocutaneous flap: a series of 22 cases, 217
Firth, J., jt.author. *See* Khan, I.U.
Fisher, D.M., jt.author. *See* Chang, C.-J.
Fissette, J., jt.author. *See* Medot, M.
Fitton, A.R., jt.author. *See* Warr, R.P.
Fitzpatrick,R., Jenkinson, C., Klassen, A. and Goodacre, T. Methods of assessing health-related quality of life and outcome for plastic surgery (review), 251
Fogarty, B.J., Khan, K., Ashall, G. and Leonard, A.G. Complications of long operations: a prospective study of morbidity associated with prolonged operative time (>6h), 33
Fontaine, S. de jt.author. *See* Geertruyden, J.P. Van
Foo, I.T.H., jt.author. *See* Ahmad, M.
Foo, I.T.H., jt.author. *See* Curnier, A.P.R.
Foo, I.T.H., jt.author. *See* Villafane, O.
Forder, M., jt.author. *See* Grover, R.
Foucher, G., Delaere, O., Citron, N. and Molderez, A. Long-term outcome of neurovascular palmar advancement flaps for distal thumb injuries, 64
Frame, J.D., jt.author. *See* Khan, I.U.
Frank, J., jt.author. *See* Barker, J.H.
Freedlander, E., jt.author. *See* Slade, P.
Frey, M. A new technique of reduction mammaplasty: dermis suspension and elimination of medial scars, 45
Frey, M., jt.author. *See* Giovanoli, P.
Frick, A., Baumeister, R.G.H., Menger, M.D., Vollmar, B., Wohllaib, U. and Wiebecke, B. Secondary ischaemia in experimental free flaps — treatment by long acting prostacyclin analogues, 392
Fukuda, O., jt.author. *See* Nakano, M.
Fukui, A., jt.author. *See* Murata, K.
Fukuzumi, S., jt.author. *See* Nakajima, H.
Furukawa, H., jt.author. *See* Yamamoto, Y.

G

Gahankari, D., jt.author. *See* Villafane, O.
Garbuio, P., jt.author. *See* Tropet, Y.
Garey, L., jt.author. *See* Waterhouse, N.
Gault, D.T., Grobbelaar, A.O., Grover, R., Liew, S.H., Philp, B., Clement, R.M. and Kiernan, M.N. The removal of unwanted hair using a ruby laser, 173
Gault, D.T., jt.author. *See* Harris, P.A.
Gault, D.T., jt.author. *See* Liew, S.H.
Gault, D.T., jt.author. *See* Sabbagh, W.
Geertruyden, J.P. Van, Vandeweyer, E., Fontaine, S. de, Goldschmidt, D.P. and Duchateau, J. Circumferential torsoplasty, 622
Geh, J.L.C. and Moss, A.L.H. Multiple pilomatrixomata and myotonic dystrophy: a familial association (case report), 143
Geh, J.L.C. and Wilson, G.R. Unusual multiple pilomatrixomata: case report and review of literature (case report), 320
Ghaznawie, M., jt.author. *See* Heenan, P.J.
Giovanoli, P., Meuli-Simmen, C., Meyer, V.E. and Frey, M. Which technique for which breast? A prospective study of different techniques of reduction mammaplasty, 52
Godwin, Y., Allison, K. and Waters, R. Reconstruction of a large defect of the ear using a composite graft following a human bite injury (case report), 152
Godwin, Y. and Wilson, D. Pre-christmas traumas: the guillotine letter box (correspondence), 600
Goldschmidt, D.P., jt.author. *See* Geertruyden, J.P. Van
Gómez-Cia, T., jt.author. *See* Ciria-Lloréns, G.
Goodacre, T., jt.author. *See* Fitzpatrick, R.
Gordon, D., jt.author. *See* Rasheed, T.
Graham, K.E. A collective term for plastic surgeons (correspondence), 601
Grames, L.M., jt.author. *See* Witt, P.
Green, C., jt.author. *See* Hazari, A.
Green, C., jt.author. *See* Liew, S.H
Green, C.J., jt.author. *See* Liew, S.H.
Griffiths, R.W. Audit of histologically incompletely excised basal cell carcinomas: recommendations for management by re-excision, 24

Grippaudo, F.R. and Kennedy, D.C. General body growth in children with cleft lip and palate in a developing country (correspondence), 671
Grobbelaar, A.O., jt.author. *See* Gault, D.T.
Grobbelaar, A.O., jt.author. *See* Grover, R.
Grobbelaar, A.O., jt.author. *See* Liew, S.H.
Grover, R., Chana, J., Grobbelaar, A.O., Hudson, D.A., Forder, M., Wilson, G.D. and Sanders, R. Measurement of c-myc oncogene expression provides an accurate prognostic marker for acral lentiginous melanoma, 122
Grover, R., jt.author. *See* Gault, D.T.
Gruber, S., Papp, C. and Mauret, H. Reconstruction of damaged forehead with bilateral fasciocutaneous temporal V-Y-advancement island flaps (case report), 74
Gschnitzer, C., jt.author. *See* Schwabegger, A.H.
Güler, M.M., jt.author. *See* Işik, S.
Günhan, Ö., jt.author. *See* Işik, S.
Gürses, S., jt.author. *See* Işik, S.
Guthrie, E., jt.author. *See* Souza Faria, F.

H

Haeseker, B. Digital surgery revisited. On the origin of digital transfer in reconstructive surgery (historical review), 495
Hage, J.J., jt.author. *See* Don Griot, J.P.W.
Hahn, L.-J., jt.author. *See* Chen, Y.-B.T.
Hammond, M. and Stassen, L. Do you CARE? A national register for cleft lip and palate patients, 12
Hancock, K., jt.author. *See* Sankar, T.K.
Harashina, T. and Inoue, Y. The use of the GIA stapler for the construction of the double-folded free jejunal flap (correspondence), 418
Harris, D. and Carr, T. Measuring quality of life in cosmetic surgery patients with a condition-specific instrument: the Derriford Scale — reply (correspondence), 158
Harris, D.L., jt.author. *See* Kumar, M.V.K.
Harris, P.A., Ladhani, K., Das-Gupta, R. and Gault, D.T. Reconstruction of acquired sub-total ear defects with autologous costal cartilage, 268
Harrison, D.H., jt.author. *See* Johnson, D.
Hart, N.B., jt.author. *See* Bahia, H.
Hasegawa, M., jt.author. *See* Kato, H.
Hashem, F.K., Ahmed, S., Al-Malaq, A. and AbuDaia, J.M. Successful replantation of penile amputation (post-circumcision) complicated by prolonged ischaemia (case report), 308
Hassall, M., jt.author. *See* Tavakoli, K.
Hasselt, E. Van, jt.author. *See* Stevenson, J.H.
Haw-Yen Chiu *See* Chiu, H.-Y.
Hayes, M., jt.author. *See* Metaxotos, N.G.
Haywood, R.M. and Monk, B.E. Should spider naevi be treated with a large or small tunable dye laser beam diameter? An illustrative case report (correspondence), 80
Haywood, R.M., Monk, B.E. and Mahaffey, P.J. Treatment of traumatic tattoos with the Nd YAG laser: a series of nine cases, 97
Hazari, A., Wiberg, M., Johansson-Rudén, G., Green, C. and Terenghi, G. A resorbable nerve conduit as an alternative to nerve autograft in nerve gap repair, 652
He, W., jt.author. *See* Zhang, H.M.
Heenan, P.J. and Ghaznawie, M. The pathogenesis of local recurrence of melanoma at the primary excision site, 209
Henderson, H.P., jt.author. *See* Wilson, S.W.
Henta, H., jt.author. *See* Itoh, Y.
Herrero, F., jt.author. *See* Piñal, F. del
Heymans, O., jt.author. *See* Medot, M.
Hill, C., Riaz, M. and Leonard, A.G. A technique for repair of the 'unrepairable' cleft palate (case report), 657
Hof, R.J. van't, jt.author. *See* Stewart, K.J.
Hofer, S.O.P. and Nicolai, J.-P.A. Cutting diathermy for removal of implants — reply (correspondence), 239
Holmes, J.D., jt.author. *See* Ahmed, O.A.
Horlock, N., Cole, R.P. and Rossi, A.R. The selection of patients for breast reduction: should health commissions have a say?, 118
Hosaka, Y., Tsukagoshi, T., Sasaki, E. and Yokoyama, S. The use of otherwise redundant skin to provide nasal lining in the reconstruction of full-thickness alar defects by nasolabial flap repair, 29
Hsiao, C.-W., Hsiao, G.-H. and Chang, L.-Y. Accurate assessment of tissue expansion in the lower face and anterior neck by a simple measurement technique, 339
Hsiao, G.-H., jt.author. *See* Hsiao, C.-W.
Hu, H.X., jt.author. *See* Zhang, H.M.
Hudson, D.A., jt.author. *See* Grover, R.
Hurley, J.V., jt.author. *See* Morrison, W.A.
Hussain, A., jt.author. *See* Ahmed, O.A.
Hyland, R.E., jt.author. *See* Brown, T.P.La H.

I

Ikada, Y., jt.author. *See* Kim, B.M.
Ikpeze, O.C. and Onuigbo, W.I.B. A bisegmented human tail in an African baby (correspondence), 329
Ikuta, Y., jt.author. *See* Joji, S.
Imanishi, N., jt.author. *See* Nakajima, H.
Inada, Y., jt.author. *See* Murata, K.
Inoue, Y., jt.author. *See* Harashina, T.
Intaglietta, M., jt.author. *See* Erni, D.
Ion, L.E., Ragoowansi, R. and Moss, A.L.H. Dressing to facilitate early radiotherapy after excision of keloid (correspondence), 323
Ishibashi, A., jt.author. *See* Itoh, Y.
Işik, S., Öztürk, S., Gürses, S., Yetmez, M., Güler, M.M., Selmanpakoğlu, N. and Günhan, Ö. Prevention of restrictive adhesions in primary tendon repair by HA-membrane: experimental research in chickens, 373
Itoh, Y., Watanabe, Y., Henta, T. and Ishibashi, A. Endoscopic extraction and curettage of epidermal cysts on the face, 182
Iwuagwu, F.C., Rigby, H.S., Payne, F. and Reid, C.D. Juvenile xanthogranuloma variant: a clinicopathological case report and review of the literature (case report), 591

J

Jagannathan, M., Nayak, B.B., Baliarsing, A.S. and Babu, N.D. An unusual case of orbital trauma with a large foreign body in the maxilla (case report), 507
Jain, P., jt.author. *See* Singh, S.K.
Javaid, M. and Shibu, M. Breast implant infection following nipple piercing (correspondence), 675
Jeffery, S.L.A. Complications following correction of prominent ears: an audit review of 122 cases, 588
Jemec, B. and Sanders, R. A functional variant of lower lip reconstruction (case report), 232
Jenkinson, C., jt.author. *See* Fitzpatrick, R.
Johansson-Rudén, G., jt.author. *See* Hazari, A.
Johnson, D. and Harrison, D.H. A technique for repairing massive ventral incisional hernias without the use of mesh (technical innovation), 399
Joji, S., Muneshige, H. and Ikuta, Y. Experimental study of mechanical microvascular anastomosis with new biodegradable ring device, 559
Jones, I., Kelly, M. and Percival, N. Clinical monitoring of free flaps in the UK (correspondence), 78
Jones, M.E., jt.author. *See* Rayatt, S.S.

K

Kao, Y.S., jt.author. *See* Fang, R.H.
Karacalar, A. and Özcan, M. Preliminary report: the distally pedicled dorsoulnar forearm flap for hand reconstruction, 453
Kat, C.C., Darcy, C.M., O'Donoghue, J.M., Taylor, A.R. and Regan, P.J. The use of the latissimus dorsi musculocutaneous flap for immediate correction of the deformity resulting from breast conservation surgery, 99
Kato, H., Hasegawa, M., Takada, T. and Torii, S. The lumbar artery perforator based island flap: anatomical study and case reports, 541

Kavouni, A. and Shibu, M. Problems associated with the use of internal mammary vessels as recipients for free flap breast reconstruction (correspondence), 597
Kay, S.P.J., jt.author. *See* Kelly, E.J.
Kelly, E.J., O'Sullivan, S.T. and Kay, S.P.J. Microneurovascular transfer of contralateral latissimus dorsi in Poland's syndrome (case report), 503
Kelly, M., jt.author. *See* Jones, I.
Kenealy, J., jt.author. *See* Peach, A.H.S.
Kennedy, D.C., jt.author. *See* Grippaudo, F.R.
Kenton-Smith, J. and Tan, S.T. Pulsed dye laser therapy for viral warts, 554
Khan, I.U., Moiemen, N.S., Firth, J. and Frame, J.D. Malignant melanoma disguised by a tattoo (correspondence), 598
Khan, K., jt.author. *See* Fogarty, B.J.
Khan, U., jt.author. *See* Arnež, Z.M.
Kiernan, M.N., jt.author. *See* Gault, D.T.
Kikutchi, Y., jt.author. *See* Sasaki, K.
Kim, B.M., Suzuki, S., Nishimura, Y., Um, S.C., Morota, K., Maruguchi, T. and Ikada, Y. Cellular artificial skin substitute produced by short period simultaneous culture of fibroblasts and keratinocytes, 573
King, D.J., jt.author. *See* Ahmed, O.A.
Kirkpatrick, W.N.A., jt.author. *See* Davies, D.M.
Kishi, K., Nakajima, H. and Tajima, S. Differential responses of collagen and glycosaminoglycan syntheses and cell proliferation to exogenous transforming growth factor β1 in the developing mouse skin fibroblasts in culture, 579
Klassen, A., jt.author. *See* Fitzpatrick, R.
Kloen, P. New insights in the development of Dupuytern's contracture: a review, 628
Knight, S.L., jt.author. *See* Majumder, S.
Kohle, P.S., jt.author. *See* Ahmed, O.A.
Koshima, I., Urushibara, K., Okuyama, H. and Moriguchi, T. Ear helix flap for reconstruction of total loss of upper eyelid (case report), 314
Koshy, C.E., Kumar, M.V.K. and Evans, J. Lower abdominal wall reconstruction using the anterior thigh fasciocutaneous flap (case report), 666
Koshy, C.E., jt.author. *See* Paterson, P.
Kostakoğlu, N. Motor and sensory reinnervation in the hand after an end-to-side median to ulnar nerve coaptation in the forearm (case report), 404
Krarup, K., jt.author. *See* Arrowsmith, J.
Kumar, M.V.K. and Harris, D.L. Balanitis xerotica obliterans complicating hypospadias repair, 69
Kumar, M.V.K., jt.author. *See* Koshy, C.E.
Kuwahara, H., jt.author. *See* Yamamoto, Y.

L

Ladhani, K., jt.author. *See* Harris, P.A.
Ladhani, K., jt.author. *See* Liew, S.H.
Laing, H. Obesity and breast reduction surgery (correspondence), 597
Laitung, J.K.G., Smith, S. and Bradley, J.P. The use of a balloon catheter in assessing velopharyngeal incompetence and in determining the effect of pharyngoplasty (correspondence), 160
Lamberty, B.G.H., jt.author. *See* Oliver, D.W.
Landuyt, K. Van, jt.author. *See* Blondeel, P.N.
Landuyt, K. Van, jt.author. *See* Verpaele, A.M.
Lee, J.-W. and Chang, T.-W. Extended latissimus dorsi musculocutaneous flap for breast reconstructio: experience in Oriental patients, 365
Lee, J.-W., Chen, C.-L. and Chiu, H.-W. Femoral—saphenous arteriovenous shunt for free-flap reconstruction of contralateral hip wound (correspondence), 159
Leonard, A.G., jt.author. *See* Fogarty, B.J.
Leonard, A.G., jt.author. *See* Hill, C.
Leonard, A.G., jt.author. *See* Riaz, M.
Liang-Jiunn Hahn *See* Hahn, L.-J.
Liao, C.-T., jt.author. *See* Demirkan, F.
Lieger, O., jt.author. *See* Erni, D.
Liew, S.H., Cerio, R., Sarathchandra, P., Grobbelaar, A.O., Gault, D.T., Green, C. and Linge, C. Ruby laser-assisted hair removal: an ultrastructural evaluation of cutaneous damage, 635
Liew, S.H. and Gault, D.T. Laser-assisted hair removal at 1064 nm without added chromophore (correspondence), 419
Liew, S.H. and Gault, D.T. Laser hair removal: the subjective hair-free interval as a simple outcome measure (correspondence), 322
Liew, S.H., Ladhani, K., Grobbelaar, A.O., Gault, D.T., Sanders, R., Green, C.J. and Linge, C. Ruby laser-assisted hair removal reduces the coarseness of regrowing hairs: fallacy or fact?, 380
Liew, S.H., jt.author. *See* Gault, D.T.
Lim, I.J., Pho, R.W.H. and Tock, E.P.C. Atypical extraungual manifestation of a subungual glomus tumour (correspondence), 327
Lim, I.J., jt.author. *See* Chan, K.O.
Lin, J.T., jt.author. *See* Fang, R.H.
Linge, C., jt.author. *See* Liew, S.H.
Liu, Z.F., jt.author. *See* Zhang, H.M.
Löfgren, O., jt.author. *See* Brodda Jansen, G.
Lundeberg, T., jt.author. *See* Brodda Jansen, G.
Lvoff, G.O., jt.author. *See* Stewart, K.J.
Lyne, J., jt.author. *See* Waterhouse, N.

M

Ma, S., jt.author. *See* Fang, R.H.
McCulley, S.J. and Rousseau, T.E. A modified Chiari L short-scar mammoplasty - the technique and results, 112
McGeorge, D.D., jt.author. *See* Tsekouras, A.A.
McGregor, J.C. Breast reduction — rationed or rational? (correspondence), 511
McGregor, J.C. Trilucent breast implants — a personal review of the current controversies (May 1999) (correspondence), 512
Maeta, M., jt.author. *See* Ao, M.
Maffulli, N., jt.author. *See* Stewart, K.J.
Mahaffey, P.J., jt.author. *See* Haywood, R.M.
Majumder, S. and Batchelor, A.G.G. Internal mammary vessels as recipients for free TRAM breast reconstruction: aesthetic and functional considerations, 286
Majumder, S. and Knight, S.L. A simple method of decreasing the morbidity of split-thickness skin graft donor sites (correspondence), 159
Majumder, S., Southern, S.J. and Stoker, J. The Microvascular Simulator (correspondence), 242
Majumder, S., jt.author. *See* Watt, D.A.L.
Mallucci, P., jt.author. *See* Penington, A.J.
Marsh, J., jt.author. *See* Witt, P.
Maruguchi, T., jt.author. *See* Kim, B.M.
Masako Ferreira, L., jt.author. *See* Sabino Neto, M.
Matthews, R.N., jt.author. *See* Duncan, C.O.
Matton, G., jt.author. *See* Blondeel, P.N.
Matton, G., jt.author. *See* Verpaele, A.M.
Mauret, H., jt.author. *See* Gruber, S.
Medot, M., Nelissen, X., Heymans, O., Adant, J.P. and Fissette, J. Video-microsurgery: a new tool in microsurgery, 92
Menger, M.D., jt.author. *See* Frick, A.
Menger, M.D., jt.author. *See* Rücker, M.
Mercer, N.S.G., jt.author. *See* Cobley, T.D.D.
Metaxotos, N.G., Asplund, O. and Hayes, M. The efficacy of bupivacaine with adrenaline in reducing pain and bleeding associated with breast reduction: a prospective trial, 290
Mete, D., jt.author. *See* Blondeel, P.N.
Meuli-Simmen, C., jt.author. *See* Giovanoli, P.
Meyer, V.E., jt.author. *See* Giovanoli, P.
Milward, T.M. Preoperative counselling for breast augmentation (correspondence), 240
Milward, T.M., jt.author. *See* O'Toole, G.A.
Mirza, S., jt.author. *See* Ahmad, M.
Mirza, S., jt.author. *See* Collis, N.
Missotten, F.E.M., jt.author. *See* Zecha, P.J.
Miyamoto, S., jt.author. *See* Murata, K.
Moazzam, A., jt.author. *See* Bahia, H.
Moiemen, N.S., jt.author. *See* Khan, I.U.
Molderez, A., jt.author. *See* Foucher, G.
Molea, G., Schonauer, F. and Blasi, F. Progressive skin extension: clinical and histological evaluation of a modified procedure using Kirschner wires, 205
Moncrieff, M.D.S. and Bardsley, A.F. A modified neck incision for

cervical lymphadenectomy and intraoral access (technical innovation), 72
Monk, B.E., jt.author. *See* Haywood, R.M.
Monstrey, S.J., jt.author. *See* Blondeel, P.N.
Monstrey, S.J., jt.author. *See* Verpaele, A.M.
Moore, M.H., jt.author. *See* O'Sullivan, S.T.
Moriguchi, T., jt.author. *See* Koshima, I.
Morota, K., jt.author. *See* Kim, B.M.
Morris, P.J., jt.author. *See* Bordea, C.
Morris, R.J., jt.author. *See* Paterson, P.
Morrison, W.A., Hurley, J.V., Ahmad, T.S. and Webster, H.R. Scar formation after skin injury to the human foetus in utero or the premature neonate, 6
Moss, A.L.H. Weight discrepancies in surgical and pathological specimens from breast reductions (correspondence), 239
Moss, A.L.H., jt.author. *See* Geh, J.L.C.
Moss, A.L.H., jt.author. *See* Ion, L.E.
Muneshige, H., jt.author. *See* Joji, S.
Murata, K., Tamai, S., Inada, Y., Fukui, A. and Miyamoto, S. Transfer of a pedicled venous flap containing perivenous areolar tissue and nerve: an experimental study, 223
Murison, M.S.C., jt.author. *See* Warr, R.P.
Murray, D.S., jt.author. *See* Nancarrow, J.D.

N

Nagase, Y., jt.author. *See* Ao, M.
Nakagawa, F., jt.author. *See* Ao, M.
Nakajima, H., Imanishi, N. and Fukuzumi, S. Vaginal reconstruction with the femoral ceno-neuroaccompanying artery fasciocutaneous flap, 547
Nakajima, H., jt.author. *See* Kishi, K.
Nakano, M., Fukuda, O., Tsuchida, Y. and Nakatsuka, T. Congenital cheek fistula: report of three cases (case report), 311
Nakatsuka, T., jt.author. *See* Nakano, M.
Nakatsuka, T., jt.author. *See* Yoshimura, K.
Nancarrow, J.D., Beg, M.S.A. and Murray, D.S. Wordsley technique of drain fixation (correspondence), 326
Narula, A.A., jt.author. *See* Birch, J.F.
Nayak, B.B., jt.author. *See* Jagannathan, M.
Nelissen, X., jt.author. *See* Medot, M.
Ng, A.B.Y., O'Sullivan, S.T. and Sharpe, D.T. Plastic surgery and pseudoxanthoma elasticum (case report), 594
Nicolai, J.P.A. Consensus declaration of EQUAM (correspondence), 78
Nicolai, J.P.A., jt.author. *See* Hofer, S.O.P.
Ninkovic, M.M., jt.author. *See* Schwabegger, A.H.
Niranjan, N.S., jt.author. *See* Davalbhakta, A.V.
Niranjan, N.S., jt.author. *See* Yii, N.W.
Nishimura, Y., jt.author. *See* Kim, B.M.
Nohira, K., jt.author. *See* Yamamoto, Y.
Nozaki, M., jt.author. *See* Sasaki, K.

O

Obert, L., jt.author. *See* Tropet, Y.
O'Broin, E.S., Allcutt, D. and Earley, M.J. Posterior plagiocephaly: proactive conservative management, 18
O'Donoghue, J.M., jt.author. *See* Kat, C.C.
Okuyama, H., jt.author. *See* Koshima, I.
Oliver, D.W., Potokar, T. and Lamberty, B.G.H. Experience of methicillin-resistant *Staphylococcus aureus* in a plastic surgery unit (correspondence), 509
Onuigbo, W.I.B., jt.author. *See* Ikpeze, O.C.
Orgill, D.P., jt.author. *See* Butler, C.E.
Orr, D., jt.author. *See* Beausang, E.
Orticochea, M. The timing and management of dynamic muscular pharyngeal sphincter construction in velopharyngeal incompetence (review), 85
O'Sullivan, S.T., Snyder, B.J., Moore, M.H. and David, D.J. Outcome measurement of the treatment of maxillary fractures: a prospective analysis of 100 consecutive cases, 519
O'Sullivan, S.T., jt.author. *See* Kelly, E.J.
O'Sullivan, S.T., jt.author. *See* Ng, A.B.Y.
O'Sullivan, S.T., jt.author. *See* Villafane, O.
O'Toole, G.A. and Milward, T.M. Fraternal keloid (case report), 408
Özcan, M., jt.author. *See* Karacalar, A.
Öztürk, S., jt.author. *See* Işik, S.

P

Panting, G. An efficienct form of note taking: comment (correspondence), 512
Papp, C., jt.author. *See* Gruber, S.
Park, S., jt.author. *See* Yoshimura, K.
Parra, B.Z., jt.author. *See* Saavedra, P.P.T.
Paterson, P., Koshy, C.E. and Morris, R.J. A simple method of decreasing the morbidity of split-thickness skin graft donor sites (correspondence), 510
Pay, A.D. and Crick, A. Subcutaneous emphysema of a digit through a pre-existing puncture wound (case report), 505
Payne, F., jt.author. *See* Iwuagwu, F.C.
Peach, A.H.S., Thomas, K. and Kenealy, J. Colour shift following tattoo removal with Q-switched Nd-YAG laser (1064/532), 482
Peña, D.A., jt.author. *See* Saavedra, P.P.T.
Penington, A.J. and Mallucci, P. Closure of elective skin defects in the leg with a fasciocutaneous V-Y island flap, 458
Perbeck, L., jt.author. *See* Benediktsson, K.
Percival, N., jt.author. *See* Jones, I.
Perez, C.C., jt.author. *See* Saavedra, P.P.T.
Pérez-Macias, J.M. Dermis suspension in mammoplasty (correspondence), 421
Philp, B., jt.author. *See* Gault, D.T.
Pho, R.W.H., jt.author. *See* Lim, I.J.
Piñal, F. del, Herrero, F. and Cruz, A. A technique to preserve the shape of the calcaneus after massive osteomyelitis (case report), 415
Planinšek, F., jt.author. *See* Arnež, Z.M.
Platt, A.J., jt.author. *See* Erel, E.
Pogorelec, D., jt.author. *See* AArnež, Z.M.
Poole, M.D., jt.author. *See* Stewart, K.J.
Poole, M.D., jt.author. *See* Tavakoli, K.
Postle, K., jt.author. *See* Shakespeare, V.
Potokar, T., jt.author. *See* Oliver, D.W.
Pouliquen, J.C., jt.author. *See* Salon, A.
Powell, B.W.E.M., jt.author. *See* Rayatt, S.S.

Q

Qiao, Q., jt.author. *See* Zhang, H.M.

R

Ragoowansi, R., jt.author. *See* Ion, L.E.
Rainsbury, D., jt.author. *See* Yelland, A.
Ramakrishnan, V., jt.author. *See* Bahia, H.
Ramakrishnan, V., jt.author. *See* Erel, E.
Raposio, E. and Santi, P.L. Topical application of DMSO as an adjunct to tissue expansion for breast reconstruction, 194
Rasheed, T. and Gordon, D. Plastic innovations: background material for microvascular anastomosis (correspondence), 159
Raud, J., jt.author. *See* Brodda Jansen, G.
Rayatt, S.S., Jones, M.E. and Powell, B.W.E.M. Surgical treatment of locally recurrent malignant schwannoma of the lower leg (case report), 317
Regan, P.J., jt.author. *See* Kat, C.C.
Reid, C.D., jt.author. *See* Iwuagwu, F.C.
Riaz, M., Sinclair, J.S. and Leonard, A.G. Problems associated with the use of suction drains following free tissue transfer in reconstruction during head and neck surgery (correspondence), 674
Riaz, M., jt.author. *See* Hill, C.
Richards, M., jt.author. *See* Tavakoli, K.
Ridoux, P.E., jt.author. *See* Tropet, Y.
Rigby, H.S., jt.author. *See* Iwuagwu, F.C.

Ringrose, C., jt.author. *See* Brown, T.P.La H.
Roesken, M., jt.author. *See* Rücker, M.
Ross, G., Dunn, R. and Taams, K. An efficient form of note taking (correspondence), 512
Rossi, A.R., jt.author. *See* Horlock, N.
Rousseau, T.E., jt.author. *See* McCulley, S.J.
Rücker, M., Roesken, F., Schäfer, T., Spitzer, W.J., Vollmar, B. and Menger, M.D. In vivo analysis of the microcirculation of osteomyocutaneous flaps using fluorescence microscopy, 643
Rutkowski, S., jt.author. *See* Tavakoli, K.

S

Saavedra, P.P.T., Parra, B.Z., Bohajar, D., Peña, D.A. and Perez, C.C. Dorsocommissural flap (case report), 668
Sabbagh, W., Withey, S. and Gault, D.T. A simple alternative to ear reconstruction (correspondence), 80
Sabino Neto, M., Traber de Castilho, H., Bueno Garcia, E. and Masako Ferreira, L. Total reconstruction of upper lip and columella with bipedicled depressor *anguli oris* island musculocutaneous flap (case report), 411
Saito, R., jt.author. *See* Ao, M.
Sakai, H., jt.author. *See* Erni, D.
Sakai, S. and Yoshinaga, R. The prepuce flap in the reconstruction of male anal stenosis (case report), 659
Salon, A. and Pouliquen, J.C. Reconstruction of the great toe in a child using the Y-V pedicle elongation technique for a medial plantar flap (case report), 146
Sanders, R., jt.author. *See* Grover, R.
Sanders, R., jt.author. *See* Jemec, B.
Sanders, R., jt.author. *See* Liew, S.H.
Sankar, T.K. and Hancock, K. Fibre-optically illuminated diathermy sucker (correspondence), 323
Santi, P.L., jt.author. *See* Raposio, E.
Sarathchandra, P., jt.author. *See* Liew, S.H
Sasaki, E., jt.author. *See* Hosaka, Y.
Sasaki, K., Nozaki, M., Kikutchi, Y., Tamaki, T. and Soejima, K. Reconstruction of perianal skin defect using a V-Y advancement of bilateral gluteus maximus musculocutaneous flaps: reconstruction considering anal cleft and anal function, 471
Scerri, G.V. and Vassallo, D.J. Initial plastic surgery experience with the first telemedicine links for the British Forces, 294
Schäfer, T., jt.author. *See* Rücker, M.
Schonauer, F., jt.author. *See* Molea, G.
Schwabegger, A.H., Gschnitzer, C. and Ninkovic, M.M. Contour deformity at the internal mammary recipient site (correspondence), 673
Se Hwang Liew *See* Liew, S.H.
Sekido, M., jt.author. *See* Yamamoto, Y.
Selmanpakoğlu, N., jt.author. *See* Işik, S.
Shah, M., jt.author. *See* Beausang, E.
Shahidi, S., jt.author. *See* Tavakoli, K.
Shakespeare, V. and Postle, K. A qualitative study of patients' views on the effects of breast-reduction surgery: a 2-year follow-up survey, 198
Sharpe, D.T., jt.author. *See* Collis, N.
Sharpe, D.T., jt.author. *See* Ng, A.B.Y.
Shibu, M., jt.author. *See* Javaid, M.
Shibu, M., jt.author. *See* Kavouni, A.
Sigurdsson, G.H., jt.author. *See* Erni, D.
Sinclair, J.S., jt.author. *See* Riaz, M.
Singh, S.K., Jain, P. and Sinha, J.K. Extensive facial damage caused by a blast injury arising from a 6 volt lead accumulator (case report), 149
Sinha, J.K., jt.author. *See* Singh, S.K.
Slade, D. and Allen, J. Aspirin and surgical bleeding (correspondence), 243
Slade, P., Emerson, D.J.M. and Freedlander, E. A longitudinal comparison of the psychological impact on mothers of neonatal and 3 month repair of cleft lip, 1
Smith, S., jt.author. *See* Laitung, J.K.G.
Snyder, B.J., jt.author. *See* O'Sullivan, S.T.
Soejima, K., jt.author. *See* Sasaki, K.
Sommerlad, B.C. Plastic surgery in the UK and the USA — comparisons and contrasts: some thoughts for the future in the UK, 583
Sommerlad, B.C., jt.author. *See* Davalbhakta, A.
Song, R.Y., jt.author. *See* Zhang, H.M.
Southern, S.J., jt.author. *See* Majumder, S.
Southern, S.J., jt.author. *See* Villafane, O.
Southern, S.J., jt.author. *See* Watt, D.A.L.
Souza Faria, F., Guthrie, E., Bradbury, E. and Brain, A.N. Psychosocial outcome and patient satisfaction following breast reduction surgery, 448
Spitzer, W.J., jt.author. *See* Rücker, M.
Srivastava, S., jt.author. *See* Boyce, D.E.
Srivastava, S., jt.author. *See* Thomas, S.S.
Stanley, P.R.W., jt.author. *See* Collis, N.
Stassen, L., jt.author. *See* Hammond, M.
Stengel, C.K., jt.author. *See* Barker, J.H.
Stephenson, A.J. and Aslam, S. Scalp cleaning following surgery (correspondence), 600
Stevenson, J.H., Borgstein, E., Van Hasselt, E. and Falconer, I. The establishment of a burns unit in a developing country — a collaborative venture in Malawi, 488
Stewart, K.J., Weyand, B., van't Hof, R.J., White, S.A., Lvoff, G.O., Maffulli, N. and Poole, M.D. A quantitative analysis of the effect of insulin-like growth factor-1 infusion during mandibular distraction osteogenesis in rabbits, 343
Stoker, J., jt.author. *See* Majumder, S.
Stranc, M.F. Eye injury resulting from the deployment of an airbag (correspondence), 418
Sugawara, Y., jt.author. *See* Yoshimura, K.
Sugihara, T., jt.author. *See* Yamamoto, Y.
Sun, G.C., jt.author. *See* Zhang, H.M.
Suzuki, S., jt.author. *See* Kim, B.M.
Sylaidis, P., Clibbon, J. and Bardsley, A. Salvaging angle fractures of L-shaped cortico-cancellous bone grafts by 'peg-in-hole' repair (correspondence), 419

T

Taams, K., jt.author. *See* Ross, G.
Tajima, S., jt.author. *See* Kishi, K.
Takada, T., jt.author. *See* Kato, H.
Talegón-Meléndez, A., jt.author. *See* Ciria-Llorens, G.
Tamai, S., jt.author. *See* Murata, K.
Tamaki, T., jt.author. *See* Sasaki, K.
Tan, S.T., jt.author. *See* Kenton-Smith, J.
Tan, W.T.L., jt.author. *See* Chan, K.O.
Tavakoli, K., Rutkowski, S., Cope, C., Hassall, M., Barnett, R., Richards, M. and Vandervord, J. Recurrence rates of ischial sores in para- and tetraplegics treated with hamstring flaps: an 8-year study, 476
Tavakoli, K., Yu, Y., Shahidi, S., Bonar, F., Walsh, W.R. and Poole, M.D. Expression of growth factors in the mandibular distraction zone: a sheep study, 434
Taylor, A.R., jt.author. *See* Kat, C.C.
Terenghi, G., jt.author. *See* Hazari, A.
Thomas, K., jt.author. *See* Peach, A.H.S.
Thomas, S.S. and Srivastava, S. The use of blood as a marker on the lips: an aid to reconstruction — reply (correspondence), 510
Tock, E.P.C., jt.author. *See* Lim, I.J.
Tonnard, P.L., jt.author. *See* Verpaele, A.M.
Torii, S., jt.author. *See* Kato, H.
Törkvist, L., jt.author. *See* Brodda Jansen, G.
Traber de Castilho, H., jt.author. *See* Sabino Neto, M.
Tropet, Y., Garbuio, P., Obert, L. and Ridoux, P.E. Emergency management of type IIIB open tibial fractures, 462
Tsai, A.G., jt.author. *See* Erni, D.
Tsekouras, A.A. and McGeorge, D.D. Palmar fasciectomy and keloid formation (case report), 593
Tsuchida, Y., jt.author. *See* Nakano, M.
Tsukagoshi, T., jt.author. *See* Hosaka, Y.
Tyler, M.P.H., jt.author. *See* Arnež, Z.M.

U

Um, S.C., jt.author. *See* Kim, B.M.
Uno, K., jt.author. *See* Ao, M.

Urdang, M., jt.author. *See* Waterhouse, N.
Urushibara, K., jt.author. *See* Koshima, I.

V

van Aalst, V., jt.author. *See* Barker, J.H.
Van Geertruyden, J.P. *See* Geertruyden, J.P. Van
Van Hasselt, E., jt.author. *See* Stevenson, J.H.
Van Landuyt, K., jt.author. *See* Blondeel, P.N.
Van Landuyt, K., jt.author. *See* Verpaele, A.M.
Vanderstraeten, G.G., jt.author. *See* Blondeel, P.N.
Vandervord, J., jt.author. *See* Tavakoli, K.
Vandeweyer, E., jt.author. *See* Geertruyden, J.P. Van
van't Hof, R.J., jt.author. *See* Stewart, K.J.
Varma, S., jt.author. *See* Arrowsmith, J.
Varma, S.K., jt.author. *See* Birch, J.F.
Vassallo, D.J., jt.author. *See* Scerri, G.V.
Venkataramakrishnan, V., jt.author. *See* Villafane, O.
Verpaele, A.M., Blondeel, P.N., Landuyt, K.Van, Tonnard, P.L., Decordier, B., Monstrey, S.J. and Matton, G. The superior gluteal artery perforator flap: an additional tool in the treatment of sacral pressure sores, 385
Villafane, O., Gahankari, D. and Webster, M. Superficial Inferior Epigastric Vein (SIEV): 'lifeboat' for DIEP/TRAM flaps (correspondence), 599
Villafane, O., O'Sullivan, S.T. and Venkataramakrishnan, V. Minimising blood loss in reduction mammoplasty by local infiltration of vasoconstrictor agents (correspondence), 421
Villafane, O., Southern, S.J. and Foo, I.T.H. Simulated interactive local flaps: operating room models for surgeon and patient alike (correspondence), 241
Vollmar, B., jt.author. *See* Frick, A.
Vollmar, B., jt.author. *See* Rücker, M.

W

Walsh, W.R., jt.author. *See* Tavakoli, K.
Warr, R.P., Fitton, A.R., Dickson, W.A. and Murison, M.S.C. Ossification in the rectus sheath following free rectus flap (case report), 661
Watanabe, Y., jt.author. *See* Itoh, Y.
Waterhouse, N., Lyne, J., Urdang, M. and Garey, L. An investigation into the mechanism of orbital blowout fractures, 606
Waters, R., jt.author. *See* Godwin, Y.
Watt, D.A.L., Majumder, S. and Southern, S.J. Simulating split-skin graft harvest (correspondence), 329
Webster, H.R., jt.author. *See* Morrison, W.A.
Webster, M., jt.author. *See* Villafane, O.
Wei, F.-C., jt.author. *See* Demirkan, F.
Weyand, B., jt.author. *See* Stewart, K.J.
White, S.A., jt.author. *See* Stewart, K.J.
Wiberg, M., jt.author. *See* Hazari, A.
Wiebecke, B., jt.author. *See* Frick, A.
Wilson, G.D., jt.author. *See* Grover, R.
Wilson, G.R., jt.author. *See* Geh, J.L.C.
Wilson, S.W. and Henderson, H.P. The surgical treatment of drooling in Leicester: 12 years experience, 335
Withey, S., jt.author. *See* Sabbagh, W.
Witt, P., Cohen, D., Grames, L.M. and Marsh, J. Sphincter pharyngoplasty for the surgical management of speech dysfunction associated with velocardiofacial syndrome, 612
Wohllaib, U., jt.author. *See* Frick, A.
Wojnarowska, F., jt.author. *See* Bordea, C.

Y

Yamamoto, Y., Nohira, K., Kuwahara, H., Sekido, M., Furukawa, H. and Sugihara, T. Superiority of end-to-side anastomosis with the internal jugular vein: the experience of 80 cases in head and neck microsurgical reconstruction, 88
Yannas, I.V., jt.author. *See* Butler, C.E.
Yao, Y.-T., jt.author. *See* Chen, Y.-B.T.
Yelland, A. and Rainsbury, D. The use of the latissimus dorsi musculocutaneous flap for immediate correction of the deformity resulting from breast conservation surgery (correspondence), 420
Yetmez, M., jt.author. *See* Işik, S.
Yii, N.W. and Niranjan, N.S. Fascial flaps based on perforators for reconstruction of defects in the distal forearm, 534
Yokoyama, S., jt.author. *See* Hosaka, Y.
Yoshimura, K., Asato, H., Nakatsuka, T., Sugawara, Y. and Park, S. Elevation of a constructed auricle using the anteriorly based mastoid fascial flap, 530
Yoshinaga, R., jt.author. *See* Sakai, S.
Yu, Y., jt.author. *See* Tavakoli, K.
Yu-Tung Yao *See* Yao, Y.-T.
Yueh-Bih Tang Chen *See* Chen, Y.-B.T.

Z

Zamierowski, D.S. All foam sponges are not equal in vacuum dressings (correspondence), 79
Zecha, P.J. and Missotten, F.E.M. Pseudocyst formation after abdominoplasty — extravasations of Morel-Lavallée (case report), 500
Zhang, H.M., Sun, G.C., Song, R.Y., Zhou, G., Qiao, Q., Hu, H.X., He, W., Liu, Z.F. and Cheng, H.W. 109 cases of blepharoptosis treated by forked frontalis muscle aponeurosis procedure with long term follow-up, 524
Zhou, G., jt.author. *See* Zhang, H.M.

British Journal of Plastic Surgery (1999), **52**, 691–696
© 1999 The British Association of Plastic Surgeons

Subject Index

A

Abdominal flaps, breast reconstruction, selection to reduce donor site morbidity, 351
Abdominal wall, lower, reconstruction using anterior thigh fasciocutaneous flap (case report), 666
Abdominoplasty
  circumferential torsoplasty, 622
  pseudocyst formation (case report), 500
Adhesions, prevention in primary tendon repair by HA-membrane, 373
Adrenaline
  with bupivacaine, efficacy in reducing pain and bleeding in breast reduction: prospective trial, 290
  subcutaneous infiltration, paediatric burn surgery, 480
Air, compressed, causing subcutaneous emphysema through pre-existing puncture wound (case report), 505
Airbag, eye injury from (correspondence), 418
Anaesthesia, local: efficacy of bupivaine with adrenaline in breast reduction, 290
Anal canal stenosis, reconstruction using prepuce flap (case report), 659
Anguli oris depressor muscle, bipedicled musculocutaneous island flap in total reconstruction of upper lip and columella (case report), 411
Anus: reconstruction of perianal skin defect using V-Y advancement of bilateral gluteus maximus musculocutaneous flaps considering anal cleft and anal function, 471
AO/ASIF classification, severe limb trauma, 280
Arteriovenous shunt, femoral—saphenous, for free flap reconstruction of contralateral hip wound (correspondence), 159
Aspirin
  effects in minor cutaneous surgery, 214
  surgical bleeding and (correspondence), 243
Audit
  breast reduction without drains, 586
  complications following correction of prominent ears, 588
  histologically incompletely excised basal cell carcinomas, 24

B

Balanitis xerotica obliterans complicating hypospadias repair, 69
Balloon catheter, use in assessing velopharyngeal incompetence and effect of pharyngoplasty (correspondence), 160
Basal cell carcinoma, incomplete excision/re-excision, 24
Biodegradable material, ring device for mechanical microvascular anastomosis, 559
Bite injury, ear, reconstruction using composite graft (case report), 152
Blast injury, facial, from 6-volt lead accumulator (case report), 149
Blepharoptosis, forked frontalis muscle aponeurosis, 524
Blood flow
  breast, after subcutaneous mastectomy and reconstruction: influence of radiotherapy, 360
  experimental skin flaps, effect of calcitonin gene-related peptide, 299
  forearm arteries, changes after raising radial forearm flap: prospective study using colour duplex imaging, 440
  see also Microcirculation
Blood loss, reduction mammoplasty, minimisation by local infiltration of vasoconstrictor agents (correspondence), 421
Bone grafts, salvaging angle fractures of L-shaped cortico-cancellous grafts by 'peg-in-hole' repair (correspondence), 419
Botulinum toxoid, management of Frey's syndrome after superficial parotidectomy (case report), 230
Breast
  conservation surgery, latissimus dorsi musculocutaneous flap for immediate correction of deformity, 99, 421 (correspondence)
  influence of radiotherapy on skin circulation after subcutaneous mastectomy and reconstruction, 360
  morphometry, assessment method and its clinical application, 355
  pulsed dye laser treatment of telangiectasia following radiotherapy (case report), 236
Breast augmentation, preoperative counselling (correspondence), 240
Breast implants
  infection following nipple piercing (correspondence), 675
  lipid emulsification after rupture (correspondence), 238
  reduction of potential contamination by use of 'nipple shields', 445
  removal using cutting diathermy (correspondence), 239
  trilucent (correspondence), 512
Breast reconstruction
  deep inferior epigastric perforator flaps, 104
    salvage using superficial inferior epigastric vein (correspondence), 599
  extended latissimus dorsi musculocutaneous flap: experience in Oriental patients, 365
  free superficial inferior epigastric artery flap, 276
  free TRAM, internal mammary vessels as recipients: aesthetic and functional considerations, 286, 601 (correspondence), 673 (correspondence)
  rational selection of flaps from abdomen to reduce donor site morbidity, 351
  sensate free superior gluteal artery perforator (S-GAP) flap, 185
  sensory nerve repair in perforator flaps, 37
  tissue expansion, topical application of DMSO as adjunct, 194
Breast reduction
  body mass index as screening method (correspondence), 511
  effects, qualitative study of patients' views, 198
  efficacy of bupivaine with adrenaline in reducing pain and bleeding, 290
  minimising blood loss by local infiltration of vasoconstrictor agents (correspondence), 421
  modified Chiari L short-scar mammaplasty, 112
  obesity and (correspondence), 597
  patient selection, 118
  perioperative improvement in lung function (correspondence), 238
  psychosocial outcome and patient satisfaction, 448
  rationing of surgery (correspondence), 511
  techniques
    dermis suspension and elimination of medial scars, 45
    hammock technique (correspondence), 421
    prospective study, 52
  weight discrepancies in surgical and pathological specimens (correspondence), 239, 511
  without drains, audit, 586
Buccinator flaps, bilateral musculomucosal, cleft palate repair (case report), 657
Bupivacaine with adrenaline, efficacy in reducing pain and bleeding in breast reduction: prospective trial, 290
Burn surgery, paediatric, subcutaneous adrenaline infiltration, 480
Burns unit, establishment in Malawi, 488

C

c-myc oncogen, as prognostic marker for acral lentiginous melanoma, 122
Calcaneus, osteomyelitis, technique to preserve bone shape (case report), 415
Calcitonin gene-related peptide (CGRP), effect on tissue survival, blood flow and neutrophil recruitment in experimental skin flaps, 299
Carcinoma, basal cell, incomplete excision/re-excision, 24
Carpal tunnel syndrome, gout following carpal tunnel release (case report), 76
Catheters, balloon *see* Balloon catheters
Cavi-Care dressing, hypospadias repair (correspondence), 325
Cervical lymphadenectomy, modified incision (technical innovation), 72

Cheek, congenital fistula (case report), 311
Chloramphenicol, use in plastic surgery (correspondence), 326
Chondrocutaneous flaps, ear helix flap for reconstruction of total loss of upper eyelid (case report), 314
Circulation *see* Blood flow; Microcirculation
Circumcision, penile amputation and replantation complicated by prolonged ischaemia (case report), 308
Circumferential torsoplasty, 622
Cisaprost, treatment of secondary ischaemia in free flaps, 392
Cleft lip, repair
  primary repair of incomplete unilateral cleft lip (correspondence), 598
  psychological impact on mothers of neonatal and 3 month repair, 1
Cleft lip and palate
  developing countries, body growth of children (correspondence), 671
  national register of, 12
Cleft palate
  'unrepairable', repair technique (case report), 657
  velocardiofacial syndrome, sphincter pharyngoplasty for associated speech dysfunction, 612
Collagen
  artificial skin substitute, 573
  injections, discolouration following (correspondence), 81
  response to transforming growth factor ß1 in developing mouse skin fibroblasts, 579
Collagen—GAG matrix seeding, comparison of cultured and uncultured keratinocytes, skin replacements, 127
Collective term for plastic surgeons (correspondence), 81
Columella, total reconstruction of upper lip and columella with bipedicled depressor *anguli oris* island musculocutaneous flap (case report), 411
Cosmetic surgery, quality of life measurement using Derriford Scale (correspondence), 158
Counselling, preoperative, breast augmentation (correspondence), 240
Craniofacial Anomalies Register (CARE), 12
Cutaneous surgery, minor, effect of aspirin on outcome, 214
Cysts, epidermal, face, endoscopic extraction and curettage, 182

D

Delay, skin flaps, associated microcirculatory changes, 133
Depilation *see under* Hair
Dermatologic surgery, minor, effect of aspirin on outcome, 214
Dermis suspension and elimination of medial scars, reduction mammaplasty, 45, 421 (correspondence)
Derriford Scale, quality of life measurement in cosmetic surgery (correspondence), 158
Diathermy
  cutting, for removal of breast implants (correspondence), 239
  fibre-optically illuminated sucker (correspondence), 323
Digital transfer in reconstructive surgery (historical review), 495
Dimethyl sulphoxide (DMSO), topical application as adjunct to tissue expansion for breast reconstruction, 194
Distraction osteogenesis
  effect of insulin-like growth factor-1, 343
  expression of growth factors, 434
Dorsocommissural flap (case report), 668
Drains
  breast reduction without, audit, 586
  fixation, Wordsley technique (correspondence), 326
  problems with use of suctions drains following free tissue transfer in head and neck reconstruction (correspondence), 674
Dressings *see* Wound dressings
Drooling, surgical treatment, 335
Drug abuse, intravenous, penoscrotal necrosis (correspondence), 324
Dupuytren's contracture
  development, 628
  palmar fasciectomy and keloid formation (case report), 593

E

Ear(s)
  elevation of constructed auricle using anteriorly based mastoid fascial flap, 530
  prominent, complications following correction: audit review, 588
  reconstruction
    acquired sub-total defects, use of autologous costal cartilage, 268
    composite graft, following human bite injury (case report), 152
    simple alternative to (correspondence), 80
  use of helix flap for reconstruction of total loss of upper eyelid (case report), 314
Elbow, periolecranon defects, fasciocutaneous flaps based on fascial feeding vessels, 60
Electrical injuries, facial damage caused by blast injury from 6-volt lead accumulator (case report), 149
Emphysema, subcutaneous, digit, through pre-existing puncture wound (case report), 505
Endoscopic surgery, 92
  extraction and curettage of epidermal cysts on face, 182
Epigastric flaps, breast reconstruction
  deep inferior perforator flaps, 104, 351, 599 (correspondence)
  sensory nerve repair, 37
  free superficial inferior (SIEA) flaps, 276
  superior epigastric artery flaps, 351
Epigastric vein, superficial inferior, salvage of DIEP/TRAM flaps (correspondence), 599
EQUAM, consensus declaration (correspondence), 78
Eye, injury from deployment of airbag (correspondence), 418
Eyelids, ear helix flap for reconstruction of total loss of upper lid (case report), 314

F

Face
  epidermal cysts, endoscopic extraction and curettage, 182
  injury caused by blast injury from 6-volt lead accumulator (case report), 149
  lower, accurate assessment of tissue expansion by simple measurment technique, 339
  Facial paralysis, reanimation, comparative analysis of temporalis tendon and microneurovascular transfer, 167
Fascial flaps
  perforator-based, reconstruction of defects in distal forearm, 534
  superficial temporal artery, prevention of Frey's syndrome and volume deficit after parotidectomy, 256
Fasciocutaneous flaps
  anterior thigh, lower abdominal wall reconstruction (case report), 666
  based on fascial feeding vessels for periolecranon defects, 60
  closure of elective skin defects in leg with V-Y island flap, 458
  femoral veno-neuroaccompanying artery flap for vaginal reconstruction, 547
  temporal V-Y-advancement island flaps in forehead reconstruction (case report), 74
Femoral—saphenous arteriovenous shunt for free flap
  reconstruction of contralateral hip wound (correspondence), 159
  Femoral veno-neuroaccompanying artery fasciocutaneous flap for vaginal reconstruction, 547
Fetus, scar formation after injury in utero, 6
Fibroblasts
  effects of TGFß1 on developing mouse fibroblasts, 579
  simultaneous culture with keratinocytes, to produce artificial skin substitute, 573
Finger
  dorsocommissural flap (case report), 668
  subcutaneous emphysema through pre-existing puncture wound (case report), 505
Fingertip injuries
  letter boxes (correspondence), 600
  neurovascular palmar advancement flaps for distal thumb injuries, 64
Fluorescence microscopy, intravital, analysis of microcirculation of osteomyocutaneous flaps, 643
Foam sponges, vaccum dressings, 79
Foetus, scar formation after injury in utero, 6
Forearm arteries, flow changes after raising radial forearm flap: prospective study using colour duplex imaging, 440

Forearm flaps
distally pedicled dorsoulnar, hand reconstruction, 453
perforator-based fascial flaps for reconstruction of distal forearm defects, 534
Forehead reconstruction, bilateral fasciocutaneous temporal V-Y-advancement island flaps (case report), 74
Foreign body, maxilla, as cause of orbital trauma (case report), 508
Fractures
maxillary, treatment: outcome measurement, 519
orbital blowout, mechanism, 606
type IIIB open tibial, emergency management, 462
Free flaps
clinical monitoring in UK (correspondence), 78
oromandibular reconstruction using third free flap in sequence in recurrent carcinoma, 429
radial osteocutaneous, phalloplasty in female-to-male transsexuals, 217
reconstruction of contralateral hip wound, femoral—saphenous arteriovenous shunt in (correspondence), 159
secondary ischaemia in experimental flaps - treatment by long acting prostacyclin analogues, 392
transverse rectus abdominis musculocutaneous, breast reconstruction, internal mammary vessels as recipients, 286, 597 (correspondence), 673 (correspondence)
Frey's syndrome after parotidectomy
botulinum toxoid treatment (case report), 230
prevention using superficial temporal artery fascial flap, 526
Frontalis muscle aponeurosis, blepharoptosis, 524

G

Gender reassignment, phalloplasty using free radial osteocutaneous flaps, 217
Glomus tumour, subungual, atypical extraungual manifestation (correspondence), 327
Gluteal artery, superior, perforator flap
sensate free, use in autologous brest reconstruction, 185
use in treatment of sacral pressure sores, 385
Gluteus maximus musculocutaneous flaps, bilateral, V-Y advancement in reconstruction of perianal skin defect, 471
Glycosaminoglycan, response to transforming growth factor ß1 in developing mouse skin fibroblasts, 579
Gout, following carpal tunnel release (case report), 76
Growth factors, expression in mandibular distraction zone, 434
Gustillo classification, severe limb trauma, 280

H

Haemangiomas, tongue, intralesional photocoagulation, 178
Haemodilution, effects on haemodynamics and oxygenation in microcirculation of ischaemic skin flaps, 565
Haemodynamics, ischaemic skin flaps, effects of neural blockade and haemodilution, 565
Haemorrhoidectomy, reconstruction of male anal stenosis using prepuce flap (case report), 659
Hair, laser removal
at 1064 nm without added chromophore (correspondence), 419
outcome measure (correspondence), 322
ruby laser, 173, 380, 635
Hamstring flaps, repair of ischial sores in para- and tetraplegics, recurrence rates, 476
Hand
motor and sensory reinnervation after end-to-side median to ulnar nerve coaptation in forearm (case report), 404
palmar nail deformity (correspondence), 324
reconstruction, distally pedicled dorsoulnar forearm flap, 453
Head and neck reconstruction
de-epithelialised anterior thigh flaps for dead space filling and contour correction, 261
microsurgical, end-to-side anastomosis with internal jugular vein, 88
problems with use of suction drains following free tissue transfer (correspondence), 674
Health commissions, role in patient selection for breast reduction, 118
Hernias, large ventral incisional, repair without use of mesh (technical innovation), 399
High-pressure injection of air through pre-existing puncture wound causing subcutaneous emphysema (case report), 505
Hip wound, femoral—saphenous arteriovenous shunt for free flap reconstruction of contralateral wound (correspondence), 159
History: digital transfer in reconstructive surgery, 495
Hyaluronic acid membrane, prevention of adhesions in primary tendon repair, 373
Hypospadias repair
balanitis xerotica obliterans and, 69
Cavi-Care dressing (correspondence), 325
tie-over dressing (correspondence), 673

I

Iloprost, treatment of secondary ischaemia in free flaps, 392
Insulin-like growth factor-1 (IGF-1), effect on mandibular distraction osteogenesis: quantitative analysis, 343
Ischaemia, secondary, experimental free flaps, treatment by prostacyclin analogues, 392
Ischial sores, recurrence in para- and tetraplegics treated with hamstring flaps, 476
Island flaps
bilateral fasciocutaneous temporal V-Y advancement flaps, forehead reconstruction (case report), 74
depressor *anguli oris* musculocutaneous flap in total reconstruction of upper lip and columella (case report), 411
fasciocutaneous V-Y, closure of elective skin defects in leg, 458
lumbar artery perforator-based, 541

J

Jejunal flap, double-folded free, use of GIA stapler in construction (correspondence), 418

K

Keloid
dressing to facilitate early radiotherapy following excision (correspondence), 323
formation, palmar fasciectomy and (case report), 593
fraternal (case report), 408
Keratinocytes
comparison of cultured and uncultured keratinocytes seeded into collagen—GAG matrix for skin replacements, 127
simultaneous culture with fibroblasts, for artificial skin substitute, 573
Kirschner wires, use in progressive skin extension, 205

L

Lambdoid synostosis, 18
Lasers
hair removal
at 1064 nm without added chromophore (correspondence), 419
outcome measure (correspondence), 322
ruby lasers, 173, 380, 635
Nd:YAG
Q-switched, tattoo removal: colour shift, 482
traumatic tattoos, 97
vascular anomalies of tongue, 178
pulsed dye
spider naevi (correspondence), 80
treatment of telangiectasia after radiotherapy for breast carcinoma (case report), 236
viral warts, 554
ruby, unwanted hair removal, 173, 380, 635

Latissimus dorsi muscle
microvascular transfer of contralateral muscle in Poland's syndrome (case report), 503
musculocutaneous flap
correction of deformity resulting from breast conservation surgery, 99, 420 (correspondence)
extended, breast reconstruction, 365
Leg, elective skin defects, closure with fasciocutaneous V-Y island flap, 458
Letter boxes, digital trauma from (correspondence), 600
Lilp, cleft *see* Cleft lip
Limb trauma, severe, comparison of AO/ASIF and Gustillo classifications, 280
Lip
lower, reconstruction: functional variant (case report), 232
reconstruction, use of blood as marker (correspondence), 240, 510
upper: total reconstruction of lip and columella with bipedicled depressor *anguli* oris island musculocutaneous flap (case report), 411
Local flaps, simulated interactive: operating room models (correspondence), 241
Lumbar artery island flaps, perforator-based, 541
Lymphoedema and multiple cutaneous malignancies in limbs of transplant patients, 618

M

Malawi, establishment of burns unit, 488
Mammaplasty
augmentation see Breast augmentation
reduction see Breast reduction
Mammary vessels, internal, as recipients for free TRAM breast reconstruction, 286, 597 (correspondence), 673 (correspondence)
Mandibular distraction osteogenesis
effect of insulin-like growth factor-1, 343
expression of growth factors in mandibular distraction zone, 434
Mandibular osteosarcoma, long-term survival (correspondence), 243
Mastectomy, subcutaneous, influence of radiotherapy on skin circulation following mastectomy and immediate reconstruction, 360
Mastoid fascial flap, anteriorly based, elevation of constructed auricle, 530
Maxillary fractures, outcome measurement of treatment, 519
Median to ulnar nerve end-to-side coaptation in forearm, motor and sensory reinnervation in hand following (case report), 404
Melanoma, malignant
acral lentiginous, c-myc oncogene expression as prognostic marker, 122
disguised by tattoo (correspondence), 598
local recurrence at primary excision site: pathogenesis, 209
Methicillin-resistant *Staphylococus aureus* (MRSA) in plastic surgery unit (correspondence), 509
Microcirculation
changes associated with vascular delay, 133
ischaemic skin flaps, effects of neural blockade and haemodilution, 565
osteomyocutaneous flaps, analysis using intravital fluorescence microscopy, 643
Microneurovascular transfer, comparison with temporalis tendon transfer, facial reanimation, 167
Microsurgery
head and neck reconstruction, end-to-side anastomosis with internal jugular vein, 88
video-microsurgery, 92
Microtia, elevation of constructed auricle using anteriorly based mastoid fascial flap, 530
Microvascular anastomosis
background material: plastic innovations (correspondence), 159
mechanical anastomosis with biodegradable ring device, 559
Microvascular Simulator (correspondence), 242
Models
Microvascular Simulator (correspondence), 242
simulated interactive local flaps (correspondence), 241
Mouth
intra-oral access, modified incision (technical innovation), 72
recurrent cancer, oromandibular reconstruction using third free flap in sequence, 429
Musculocutaneous flaps
depressor *anguli* oris island flap in total reconstruction of upper lip and columella (case report), 411
gluteus maximus, V-Y advancement in reconstruction of perianal skin defect, 471
latissimus dorsi
correction of deformity resulting from breast conservation surgery, 99, 421 (correspondence)
extended, breast reconstruction, 365
repair of ischial sores in para- and tetraplegics, recurrence rates, 476
Myotonic dystrophy, association with multiple pilomatrixomata (case report), 143

N

Naevi, spider, pulsed tunable dye laser treatment (correspondence), 80
Nails
palmar nail deformity (correspondence), 324
subungual glomus tumour, atypical extraungual manifestation (correspondence), 327
Nasolabial flaps, nasal lining in reconstruction of full-thickness alar defects, 29
Neck
anterior, accurate assessment of tissue expansion by simple measurment technique, 339
modified incision for cervical lymphadenectomy and intraoral access (technical innovation), 72
see also Head and neck
Neonates, scarring, 6
Nerve injury, sensory and sudomotor recovery due to collateral sprouting? (correspondence), 322
Nerve repair
end-to-side median to ulnar nerve coaptation in forearm, reinnervation in hand following (case report), 404
perforator flaps for autologous breast reconstruction, 37
resorbable nerve conduit in nerve gap repair, 652
Neural blockade, effects on haemodynamics and oxygenation in microcirculation of ischaemic skin flaps, 565
Neurovascular flaps, palmar advancement flaps for distal thumb injuries, 64
Neutrophil recruitment, experimental skin flaps, effect of calcitonin gene-related peptide, 299
Nipple
inverted, male (correspondence), 158
piercing, breast implant infection following (correspondence), 675
'Nipple shields', use to reduce potential contamination of breast implants, 445
Nose
alar defects, reconstruction using redundant nasolabial flap skin as lining, 29
columella *see* Columella
reconstruction, digital transfer (historical review), 495
Note taking, use of self-adhesive labels (correspondence), 512

O

Obesity and breast reduction surgery (correspondence), 597
Obituary: Sandon, Raoul Peter Gauvain, 155
Olecranon, skin defects, fasciocutaneous flaps based on fascial feeding vessels, 60
Oncogenes, c-myc, as prognostic marker for acral lentiginous melanoma, 122
Orbital blowout fractures, mechanism, 606
Orbital trauma resulting from large foreign body in maxilla (case report), 508
Oromandibular reconstruction using third free flap in sequence in recurrent carcinoma, 429

Ossification, heterotopic, rectus sheath following free rectus flap (case report), 661
Osteocutaneous flaps, free radial, phalloplasty in female-to-male transsexuals, 217
Osteomyelitis, calcaneus, technique to preserve bone shape (case report), 415
Osteomyocutaneous flaps, analysis of microcirculation using fluorescence microscopy, 643
Osteosarcoma, mandibular, long-term survival (correspondence), 243
Outcome assessment (review), 251
  severe limb trauma classifications and, 280

P

Palate, cleft *see under* Cleft
Palmar fasciectomy, keloid formation and (case report), 593
Palmar nail deformity, embryological basis (correspondence), 324
Parotidectomy
  prevention of Frey's syndrome and volume deficit using superficial temporal artery fascial flap, 256
  superficial, botulinum toxoid management of Frey's syndrome (case report), 230
Pedicle flaps, transfer of venous flap containing perivenous areolar tissue and nerve, 223
Penis
  amputation and replantation following circumcision (case report), 308
  penoscrotal necrosis complicating intravenous drug abuse (correspondence), 324
Perforator flaps
  breast reconstruction
    deep inferior epigastric flaps, 37, 104, 599 (correspondence), 699 (correspondence)
    sensory nerve repair in, 37
    superior gluteal artery flaps, 185
  fascial, reconstruction of defects in distal forearm, 534
  lumbar artery island flaps, 541
  superior gluteal artery
    breast reconstruction, 185
    treatment of sacral pressure sores, 385
Phalloplasty in female-to-male transsexuals using free radial osteocutaneous flaps, 217
Pharyngoplasty
  dynamic muscular sphincter construction in velopharyngeal incompetence (review), 85
  sphincter, speech dysfunction associated with velocardiofacial syndrome, 612
  use of balloon catheter to determine possible benefits (correspondence), 160
Photocoagulation, intralesional, vascular anomalies of tongue, 178
Pilomatrixomata, multiple
  association with myotonic dystrophy (case report), 143
  case report and review of literature (case report), 320
Plagiocephaly
  non-synostotic, 18
  posterior, proactive conservative management, 18
Plantar flaps, medial, Y-V pedicle elongation in reconstruction of great toe in a child (case report), 146
Plastic surgeons, collective term (correspondence), 81, 601
Plastic surgery in UK and USA, comparisons and contrasts, 583
Poland's syndrome, microneurovascular transfer of contralateral latissimus dorsi (case report), 503
Prepuce flap, reconstruction of male anal stenosis (case report), 659
Pressure sores
  ischial, recurrence in para- and tetraplegics treated with hamstring flaps, 476
  lumbar artery perforator based island flap, 541
  sacral, treatment using superior gluteal artery perforator flap, 385
Progressive skin extension (PSE), using Kirschner wires, 205
Prostacyclin analogues, treatment of secondary ischaemia in free flaps, 392
Pseudocyst formation after abdominoplasty (case report), 500
Pseudoxanthoma elasticum, plastic surgical treatment (case report), 594
Psychological studies
  impact on mothers of neonatal and 3 month repair of cleft lip, 1
  psychosocial outcome and patient satisfaction following breast reduction surgery, 448

Q

Quality of life
  health-related, assessment methods in plastic surgery (review), 251
  measurement in cosmetic surgery using Derriford Scale (correspondence), 158

R

Radial forearm flaps
  flow changes in forearm arteries after raising flap, 440
  free osteocutaneous, phalloplasty in female-to-male transsexuals, 217
Radiotherapy
  following keloid excision, wound dressings (correspondence), 323
  influence on skin circulation of breast following mastectomy and immediate reconstruction, 360
  telangiectasia following, pulsed dye laser treatment (case report), 236
Reconstructive surgery, complications of long operations, 33
Rectus abdominis muscle, transverse musculocutaneous flaps *see* Transverse rectus abdominis musculocutaneous (TRAM) flaps
Rectus sheath, heterotopic ossification, following free rectus flap (case report), 661
Reinnervation in hand after end-to-side median to ulnar nerve coaptation in forearm (case report), 404
Reverse-flow flaps
  dorsocommisural (case report), 668
  ear helix flap for reconstruction of total loss of upper eyelid (case report), 314
Rhabdomyosarcoma, congenital (case report), 304

S

Sacral pressure sores, treatment using superior gluteal artery perforator flap, 385
Sandon, Raoul Peter Gauvain, obituary, 155
Scalp cleaning following surgery (correspondence), 600
Scars
  formation after injury to foetus or premature neonate, 6
  keloid see Keloid
Schwannoma, locally recurrent malignant, lower leg: surgical treatment (case report), 317
Scrotum, penoscrotal necrosis complicating intravenous drug abuse (correspondence), 324
Skin
  cellular artificial substitute, 573
  defects, leg, closure with fasciocutaneous V-Y island flap, 458
  progressive extension using Kirschner wires, 205
Skin cancer
  audit of histologically incompletely excised basal cell carcinomas, 24
  multiple malignancies in lymphoedematous limbs, transplant patients, 618
  trichilemmal carcinoma, multiple tumour presentation (case report), 664
  see also Melanoma, malignant
Skin defects, perianal, reconstruction using V-Y advancement of bilateral gluteus maximus musculocutaneous flaps, 471
Skin flaps
  delayed, associated microcirculatory changes, 133
  effects of calcitonin gene-related peptide on tissue survival, blood flow and neutrophil recruitment in experimental flaps, 299
  effects of neural blockade and haemodilution on haemodynamics and oxygenation in microcirculation of ischaemic flaps, 565

Skin grafts
comparison of cultured and uncultured keratinocytes seeded into collagen—GAG matrix, 127
donor sites, method of decreasing morbidity in split-thickness grafts (correspondence), 159, 510
split-thickness
method of decreasing morbidity of donor sites (correspondence), 159, 510
simulating graft harvest (correspondence), 329
Speech dysfunction, velocardiofacial syndrome, sphincter pharyngoplasty, 612
Sponges, foam, in vacuum dressings (correspondence), 79
Staphyloccus aureus, methicillin-resistant, in plastic surgery unit (correspondence), 509
Staplers: use of GIA stapler in construction of double-folded free jejunal flap (correspondence), 418
Suturing techniques (correspondence), 599
Sweating, gustatory *see* Frey's syndrome

T

Tail, bisegmented human, in African baby (correspondence), 329
Tattoos
disguising malignant melanoma (correspondence), 598
removal with Q-switched Nd-YAG laser, colour switch following, 482
traumatic, treatment with Nd YAG lasers, 97
Telangiectasia, post-radiotherapy, pulsed dye laser treatment (case report), 236
Telemedicine, British Defence Medical Services links, 294
Temporal artery, superficial, fascial flap, prevention of Frey's syndrome and volume deficit after parotidectomy, 256
Temporal V-Y-advancement island flaps, bilateral fasciocutaneous, forehead reconstruction (case report), 74
Temporalis tendon transfer, comparison with microneurovascular transfer, facial reanimation, 167
Tendon repair
dorsocommissural flap (case report), 668
placement of sutures (correspondence), 511
prevention of adhesions HA-membrane, 373
Thigh flaps
de-epithelialised anterior, for dead space filling and contour correction in head and neck reconstruction, 261
fasciocutaneous, lower abdominal wall reconstruction (case report), 666
Thumb, distal injuries, neurovascular palmar advancement flaps: long-term outcome, 64
Tibia, type IIIB open fractures, emergency management, 462
Tissue expansion
breast reconstruction, topical application of DMSO as adjunct, 194
lower face and anterior neck, accurate assessment by simple measurement technique, 339
Tissue survival, experimental skin flaps, effect of calcitonin gene-related peptide, 299
Toes, great, reconstruction using Y-V pedicle elongation for medial plantar flap (case report), 146
Tongue, vascular anomalies, intralesional photocoagulation, 178
Torsoplasty, circumferential, 622
Transforming growth factor β1 (TGFβ1), effects on developing mouse skin fibroblasts, 579
Transplantation, multiple cutaneous malignancies in limbs, lymphoedema and, 618
Transsexuals, female-to-male, phalloplasty using free radial osteocutaneous flaps, 217
Transverse rectus abdominis musculocutaneous (TRAM) flaps, breast reconstruction, 351
internal mammary vessels as recipients for free flaps, 286, 597 (correspondence), 673 (correspondence)
Traumatic tattoos, treatment with Nd YAG lasers, 97
Trichilemmal carcinoma, multiple tumour presentation (case report), 664

U

Ulcers, decubitus *see* Pressure sores

V

V-Y advancement flaps
bilateral fasciocutaneous temporal island flaps, forehead reconstruction (case report), 74
bilateral gluteus maximus musculocutaneous, reconstruction of perianal skin defect considering anal cleft and anal function, 471
V-Y fasciocutaneous island flaps, closure of elective skin defects in leg, 458
Vacuum sealing techniques, foam sponges in (correspondence), 79
Vaginal reconstruction with femoral veno-neuroaccompanying artery fasciocutaneous flap, 547
Vasoconstrictor agents, minimising of blood loss in reduction mammoplasty (correspondence), 421
Velocardiofacial syndrome, speech dysfunction, sphincter pharyngoplasty, 612
Velopharyngeal incompetence
assessment using balloon catheter (correspondence), 160
timing and management of dynamic muscular pharyngeal sphincter construction (review), 85
velocardiofacial syndrome, sphincter pharyngoplasty in, 612
Venous flaps, pedicled, transfer of flap containing perivenous areolar tissue and nerve, 223
Video-microsurgery, 92

W

Warts, viral, pulsed dye laser therapy, 554
Wound dressings
facilitation of early radiotherapy after excision of keloid (correspondence), 323
hypospadias repair
Cavi-Care dressing (correspondence), 325
tie-over (correspondence), 673

X

Xanthogranuloma, juvenile, variant (case report), 591

Z

Y-V pedicle elongation, medial plantar flap used in reconstruction of great toe in a child (case report), 146